(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



1 (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100) (100)

(43) International Publication Date 14 October 2004 (14.10.2004)

PCT

(10) International Publication Number WO 2004/087573 A1

(51) International Patent Classification7: 39/46

C01B 39/02,

(21) International Application Number:

PCT/AU2004/000428

(22) International Filing Date:

2 April 2004 (02.04.2004)

(25) Filing Language: .

English

(26) Publication Language:

English


(30) Priority Data: 2003901594

4 April 2003 (04.04.2003)

- (71) Applicant (for all designated States except US): NANOCHEM HOLDINGS PTY LTD [AU/AU]; Level 6 Gehrmann Laboratories, Research Road, University of Queensland, St Lucia, QLD 4070 (AU).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): MACKINNON, Ian [AU/AU]; c/- Level 6 Gehrmann Laboratories, Research Road, University of Queensland, St Lucia, QLD

Gehrmann Laboratories, Research Road, University of Queensland, St Lucia, QLD 4070 (AU). STOLZ, Wanda [AU/AU]; c/- Level 6 Gehrmann Laboratories, Research Road, University of Queensland, St Lucia, QLD 4070

- (74) Agent: FISHER ADAMS KELLY; Level 13 AMP Place, 10 Eagle Street, Brisbane, QLD 4000 (AU).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FL, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-



a H₂O/Al₂O₅ ratio in the range 30 to 220; (ii) heating the resultant mixture to a temperature of between 50°C and the boiling point of the mixture for a time between 1 minute and 100 hours until a crystalline product of zeolite N structure is formed as determined by X-ray diffraction or other suitable characteristic; and (iii) separating the zeolite N product as a solid from the mixture.

AVAILABLE COP